



MODULE 2 WHOLE NUMBERS AND INTEGERS







STUDENT SUPPORT GUIDE



# **Mathematics 8**

Module 2: Whole Numbers and Integers

# STUDENT SUPPORT GUIDE

#### NOTE

in a supervised situation. The answers should be stored securely by the teacher at all times. should be kept secure by the teacher. Student's should not have access to these assignments or the final test until they are assigned This Mathematics Learning Facilitator's Manual contains answers to teacher-assessed assignments and the final test; therefore, it

#### Acknowledgements

Project Manager: Linda Cox, Alberta Distance Learning Centre Site Coordinator: Marie Hauk, University of Alberta Curriculum Validator: Merv Lastiwka, Edmonton Public Schools Instructional Design: Maureen Stanley, Alberta Distance Learning Centre Copyright Officer: Gail Hove, Barrhead Employment Agency Editor: Suzanne Platt, Barrhead Employment Agency Typography, Lithography and Printing: Jasper Printing Group Ltd. Cover Photo: WESTFILE INC.

Mathematics 8
Student Support Guide
Module 2
Whole Numbers and Integers
Alberta Distance Learning Centre
ISBN No. 0-7741-0260-8

Writers: Lynda Antoniuk, Edmonton Public Schools
Rod Buga, Edmonton Roman Catholic Separate Schools
Sharon Kratky, Edmonton Public Schools
Ralph Lee, Edmonton Public Schools
Susan Ludwig, Edmonton Roman Catholic Separate Schools
Wendy Lukawesky, Edmonton Public Schools
Carolyn Martin, Edmonton Roman Catholic Separate Schools
Dennis McCarthy, Alberta Distance Learning Centre
Bill Peterson, Alberta Distance Learning Centre
Lucy Piard, Alberta Distance Learning Centre
Richard Robinson, Alberta Distance Learning Centre
Bryan Sosnowski, Edmonton Public Schools
Joe Symak, Alberta Distance Learning Centre
Peter Tymkow, Alberta Distance Learning Centre
Jim Williams, Edmonton Public Schools

# ALL RIGHTS RESERVED

All rights reserved. Additional copies may be obtained from the Learning Resources Distributing Centre Copyright © 1992, the Crown in Right of Alberta, as represented by the Minister of Education, Alberta Education, 11160 Jasper Avenue, Edmonton, Alberta, T5K 0L2

No part of this courseware may be reproduced in any form, including photocopying (unless otherwise indicated), without the written permission of Alberta Education.

done, please notify Alberta Education so appropriate corrective action can be taken. Every effort has been made both to provide proper acknowledgement of the original source and to comply with copyright law. If cases are identified where this has not been

T ag	_	က	7	15	25	33	45	59	61	77	82	92	105	119	129	137	139
		:	:					:				:					
			:														
			:		:												
	Module Introduction		2: Getting Set	Greatest Common Factors	Least Common Multiples	Powers		Summary		ntegers	Adding Integers					Section 15: Summary137	Module Conclusion139
								:									
			-	S													
			:	actor	ples				:								
				on F	Multi							Subtracting Integers	ers		Section 14: Order of Operations		
		ilfe.		mm	non		Scientific Notation				gers	Inte	Multiplying Integers.	Dividing Integers	erati		
		1: Keeping Skillful	Set	St Co	omu		ic N	Y	Getting Set	(2)	Inte	xing	ing	y Inte	g	Z	
	ction	epini	tting	eates	ast C	wers	entif	mma	tting	eger	ding	btrac	Itiply	iding	der c	mm	sion.
	npo.	Xe	Ge	ğ							-				ŏ	Su	nclus
	Intr				4.	.5		. 7:	 	66	10:	11:	12:	13:	14:	15:	S
	dule	Section	Section	Section	Section	Section	Section	Section	Section	Section	Section 10:	Section 11:	Section 12:	Section 13:	ctior	ctior	dule
	ž	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	Se	ž

Digitized by the Internet Archive in 2016 with funding from University of Alberta Libraries


# MODULE INTRODUCTION

#### What Lies Ahead

In this module students will be working with whole numbers and integers.

# Gathering Materials

The student will need the following items for the introduction.





### **Guiding the Student**

- Emphasize to the students that the goal of the section is to preview the module.
- Discuss the learning process, time management, and evaluation with the students. See the suggestion on the next page of this booklet.

N

# The Learning Process

whole numbers or integers Each section of Module 2 deals with a different skill involving

Sections have several activities

- Introductory Activities
- **Practice Activities**
- Extra Practice
- **Concluding Activities**

activities. You will help them decide what to do Remind the students that they will not be expected to do all the

#### Time Management

spend no more than 1 hour at a time doing mathematics.) year to complete the module. It is recommended that students Decide how long the students will need to complete the module. (The average student should spend about 9 weeks in a 40-week

#### Evaluation

students for the assignment booklet. assignment booklet. The module booklet will help prepare Explain that the grade on Module 2 is based on work in the

Module 2

# KEEPING SKILLFUL

#### What Lies Ahead

In this section the student will review these topics.

- operations
- order of operations

### Gathering Materials

For this section the student will need the following items.

Mathematics 8
Module 2
Whole Numbers
and Integers



#### **Guiding the Student**

- Emphasize to the students that the goal of this section is to review operations with whole numbers.
- Help the students check the answers to the Review and correct any errors. If you discover that a student is still experiencing difficulties, you may wish to have the student do work in Module 2 of Mathematics 7.

#### Review

Calculate the exact answers. Do not use a calculator.

Ò.

# **Suggested Answers**

ġ 93

9 57

Ф. 532

2516

<u></u>

69 R48

Calculate each of the following mentally. ان

Module 2

c. 
$$8+6+2+5+4$$

d. 
$$32 \times 40$$

Use a calculator to do Questions 3 to 5.



- What is the total cost of the skateboard? છં က်
- How much change is left from \$200? و.



Wheels..... Deck..... \$88

\$40

- 882 ૡં ci
- 516 Ď.
- 22 ပ
- 1280 ਰਂ
- 9 oj.
- The total cost is \$168. ૡં က်
- The change left from \$200 is \$32. ت.

- 4. times does it beat in one hour? If Gloria's heart beats 69 times in one minute, how many
- Ģ of their vacation. Find the distance they travelled in one hour. The Petersons travelled 570 km in six hours on the first day

Gloria's heart beats 4140 times in one hour.

4.

- - Ċı The Petersons travelled 95 km in one hour.

6 Evaluate the following using paper and pencil.

b. 
$$56 \div (10 + 6 - 8)$$

c. 
$$7 + 7 \times 7 + 7$$

d. 
$$\frac{3 \times 5}{16 \div 8}$$

- ტ. ģ 14
- Ö
- 9 63
- Ö

Module 2

#### **GETTING SET**

#### What Lies Ahead

This section will pretest the following skills.

- · finding the factors of a number
- · finding the common factors and greatest common factor of two or more numbers
- finding the multiples of a number
- · finding the common multiples and the least common multiple of two or more numbers
- expressing numbers in standard form, powers, expanded form, and scientific notation

## Gathering Materials

For this section the student will need these items.

Whole Numbers Mathematics 8 and Integers Module 2 



#### **Guiding the Student**

- Emphasize to the students that the goal of this section is to discover their strengths and weaknesses in number theory.
- Help the students check their answers to the pretest. It is not necessary to correct errors at this time. See the last page of this section for further directions.

#### Pretest

- a List all the factors of 48, 56, and 80.
- Ö Identify the common factors
- N following pairs of numbers. Find the greatest common factor (GCF) for each of the
- Ø 15 and 30
- Ö 48 and 60
- ဂ 24 and 51
- ယ is the most that each cookie could cost? the same. One package sells for 50¢, the other for 80¢. What sizes. The price per cookie is a whole number and remains A bakery sells oatmeal cookies in two different package



## Suggested Answers

ထ

- ы The factors of 48 are 1, 2, 3, 4, 6, 8, 12, 16, 24, and 48. The factors of 56 are 1, 2, 4, 7, 8, 14, 28, and 56. The factors of 80 are 1, 2, 4, 5, 8, 10, 16, 20, 40, and 80.
- Ö The common factors of 48, 56, and 80 are 2, 4, and 8.
- þ The GCF of 15 and 30 is 15.

N

- Ö The GCF of 48 and 60 is 12.
- 9 The GCF of 24 and 51 is 3.
- ω The most that each cookie could cost is 10¢.

List the first five multiples of 13. 4.

Module 2

Find three common multiples for each of the following pairs of numbers. 5

4 and 5

लं

9 and 6

ف

3 and 9 ပ Find the least common multiple (LCM) for each of the following groups of numbers. 6

4 and 9

તં

6, 9, and 10 ပ

13, 26, 39, 52, 65 4.

20, 40, 60 ૡં 5

18, 36, 54 ۵.

9, 18, 27 ပ

36 ૡં 9 24 <u>ن</u> 8 ပ

Mathematics 8

Student Support Guide

 Mark is practising for a marathon. He runs one lap of the practice course in four minutes. His younger brother, Monty, can run the same distance in seven minutes.



- a. If they both start at the same time and keep running until they both cross the finish line together, how long will it take?
- b. How many laps will each have run?
- Express each of the following as a power.

Ω

a. 
$$156 \times 156 \times 156 \times 156 \times 156$$

 a. It will take 28 minutes for them to cross the finish line together.

7.

- b. Mark will have run 7 laps and Monty will have run 4 laps.
- 8. a. 156<sup>5</sup>
- b. 19<sup>9</sup>

9. Write each of these numbers in standard form.

a. 15<sup>2</sup>

b. 9<sup>4</sup>

c. 10<sup>5</sup>

10. Express each number as a power of 3.

a. 27

b. 243

11. Express each of the following standard numbers as a number in expanded form.

a. 2641395

b. 6561

c. 100 000

10. a. 3<sup>3</sup>

ь. з<sub>5</sub>

11. a. 
$$(2 \times 1000000) + (6 \times 100000) + (4 \times 10000) + (1 \times 1000) + (3 \times 100) + (9 \times 10) + (5 \times 1)$$

Students may also use exponents.

a. 
$$(2 \times 10^6) + (6 \times 10^5) + (4 \times 10^4) + (1 \times 10^3) + (3 \times 10^2) + (9 \times 10^1) + (5 \times 1)$$

b. 
$$(1 \times 10^7) + (3 \times 10^6) + (0 \times 10^5) + (5 \times 10^4) + (1 \times 10^3) + (0 \times 10^2) + (4 \times 10^1) + (7 \times 1)$$

- 12. Express each of the following as a number in standard form.
- a.  $(3 \times 10^4) + (5 \times 10^3) + (7 \times 10^2) + (3 \times 1)$ b.  $(5 \times 10^4) + (9 \times 10^2) + (8 \times 10^1)$
- 13. Express each of the following in scientific notation.
- a. 12 000
- b. 6 165 000
- 14. Express each of the following in standard form.
- $2.13 \times 10^{3}$
- b.  $9.003 \times 10^8$

- 12. a. 35 703
- ġ. 50 980
- 13. a.  $1.2 \times 10^4$
- $6.165 \times 10^{6}$
- 14. a. 2130
- b. 900 300 000

## **Guiding the Student**

Help each student decide what to do next. It is recommended that students review the notes in the sections which correspond to the questions in the pretest with which the students experienced success, and that students do a few sample questions from the activities.

It is recommended that students carefully study the notes in the sections which correspond to the questions with which the students experienced difficulty, and that students do most of the questions in the activities.

Section	ಣ	က	4	4	4	22	S	2	2	9	9
Skill	identifying common factors	identifying greatest common factors	identifying multiples	identifying common multiples	identifying least common multiples	expressing numbers as powers	expressing powers in standard form	expressing numbers in expanded form	expressing numbers in standard form	expressing numbers in scientific notation	expressing scientific notation in standard form
Question	-	2,3	4	c)	6,7	8, 10	6	11	12	13	14



# GREATEST COMMON FACTORS

#### What Lies Ahead

In this section the student will learn these skills.

- · finding the factors of a number
- finding the greatest common factor of two or more numbers
- using the GCF in problem solving

#### Gathering Materials

For this section the student will need these items.

Mathematics 8
Module 2
Whole Numbers
and Integers





- Number Munchers (MECC)
- Conquering Whole Numbers (MECC)
- Computer Drill and Instruction: Mathematics, Level D (SRA)

(optional)

**Guiding the Student** 

- · Emphasize to the students the goal of this section.
- You may wish to use manipulatives with weaker students.
   These are demonstrated on the video MATH MOVES: Number Theory. It is available from ACCESS Network.
- Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

# Introductory Activities

### Computer Alternative



- Play the game Factors on the Number Munchers disk (MECC).
- Play the game Primes on the Number Munchers disk (MECC).

ယ

Play the game Tax Collector on the

Conquering Whole Numbers disk (MECC).

4. To review prime numbers and prime factorization, do Lessons 14 and 15 of the Numbers and Numeration disk from the package Computer Drill and Instruction:

Mathematics, Level D (SRA). Remember, if you need help press the SHIFT key and hold down the [?] key.

## **Suggested Answers**

- Computer corrected
- Computer corrected
- Computer corrected
- Computer corrected

#### Print Alternative

Ŋ.



6

- Play the game *Place Roll*. You will need a pair of dice, and bingo chips or dried kernels of corn. The game board is in the appendix.
- Play the game Factors. You will need to cut out the numbers in the appendix. Your goal is to get more points than your opponent.
- 7. List the factors of each of the following numbers.
- a. 36
- b. 42
- c. 30

- Rules for the game are in the module booklet.Discuss the game results with the student.
- Rules for the game are in the module booklet.Discuss the game results with the student.
- 7. a. 1, 2, 3, 4, 6, 9, 12, 18, 36
- b. 1, 2, 3, 6, 7, 14, 21, 42
- c. 1, 2, 3, 5, 6, 10, 15, 30

- 8. Give the prime factors of each of the following numbers.
- a. 36
- b. 42
- c. 30
- 9. Give the prime factorization of each of the following numbers.
- a. 21
- b. 54
- c. 60

- 8. a. 2,3
- 2, 3, 7

ġ.

- c. 2, 3, 5
- a. 3 × 7

9.

- b. 2 × 3 × 3 × 3
- c.  $2 \times 2 \times 3 \times 5$

#### Practice Activities

Module 2

1. List the factors of each of the following numbers.

54 त्तं <u>~</u> Ö.

ပ

83

List the common factors of 54, 81, and 63. ત્તું ٥i

What is the greatest common factor of 54, 81, and 63?

Find the greatest common factor for each of these groups of က်

6 and 12 ú

numbers.

30 and 45 و.

42 and 56 ပ

8, 16, and 20 ö

24, 40, and 48 e.

## Suggested Answers

1, 2, 3, 6, 9, 18, 27, 54 त्तं

1, 3, 9, 27, 81 ٥.

1, 3, 7, 9, 21, 63 ပ

1, 3, 9 ਲਂ κi

Ď.

ဖ rd က 15 o. 4 ပ


ö

α e e


4.

The most that each football could have cost is \$39.

4. Helga bought some footballs for \$117. Edie bought some of the same footballs for \$78. What is the most that each football could have cost?



5. Julio is making a quilt out of squares of coloured material. His quilt is to be 126 cm wide and 198 cm long. What is the largest size of square that he can use?



The largest square that can be used is 18 cm by 18 cm.

Ċī,

Suggested Answers

#### **Extra Practice**

Module 2

### Computer Alternative



and Instruction: Mathematics, Level D (SRA). Numeration from the package Computer Drill Do Lesson 16 of the disk Numbers and

Computer corrected

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the ? key.

#### **Print Alternative**



Find the GCF for each group of numbers. ر.

24 and 36 ದ

12 and 18 ۵.

30 and 75 ပ

500 and 300

ė.

48, 64, and 80

ਰਂ

7 ત્તું ٥i

15 ပ

ဖ


Ö.

9 ö

100 ej

22

3. Jennine, Julie, and Joyce bought the same kind of candies. Jennine bought 28¢ worth of candies, Julie bought 70¢ worth of candies, and Joyce bought 98¢ worth of candies. What is the most that each candy could have cost?



3. The most that each candy could have cost is 14¢.

# Concluding Activities

Module 2

- For each of the following give the smallest number that has exactly this number of factors.
- က લં
- ن
- 2 ပ
- 9 ö
- / ø.

ω

- တ တ်
- 9 ۲.

- Suggested Answers
- 4 ಥ
- 9 <u>ن</u>
- 16 ပ
- 42 ö
- 64 e.
- 24
- 36 တ်
- 48 드

Student Support Guide

N

ä

- a. Find an example in which the sum of the proper factors of a number is less than the number.
- Find an example in which the sum of the proper factors of a number is equal to the number.
- Find an example in which the sum of the proper factors of a number is more than the number.
- Are the following pairs of numbers relatively prime? Answer yes or no and tell why.
- a. 87 and 53
- b. 21 and 36
- c. 45 and 38
- d. 21 and 93

Ø

74 and 26

- Answers will vary.

  An example is 4 since 1 + 2 = 3.

  An example is 8 since 1 + 2 + 4 = 7.

  An example is 15 since 1 + 3 + 5 = 9.

  All primes are also examples since the only proper factor of each prime is 1.
- Answers will vary.
  An example is 6 since 1 + 2 + 3 = 6.
  An example is 28 since 1 + 2 + 4 + 7 + 14 = 28.
- Answers will vary. An example is 12 since 1 + 2 + 3 + 4 + 6 = 16. An example is 18 since 1 + 2 + 3 + 6 + 9 = 21. An example is 20 since 1 + 2 + 4 + 5 + 10 = 22.

9

- a. Yes, 87 and 53 are relatively prime since their G.C.F. is 1.
- No, 21 and 36 are not relatively prime since their G.C.F. is 3.
- c. Yes. 45 and 38 are relatively prime since their G.C.F. is 1.
- No, 21 and 93 are not relatively prime since their G.C.F. is 3.
- e. No, 74 and 26 are not relatively prime since their GCF is 2.

# **LEAST COMMON MULTIPLES**

#### What Lies Ahead

In this section the student will learn these skills.

- · listing the multiples of a number
- · finding the least common multiple
- using the least common multiple to solve problems

## Gathering Materials

For this section the student will need these items.

Mathematics 8

Module 2

Whole Numbers
and Integers





Computer Drill and Instruction: Mathematics, Level D (SRA)

#### (optional)

#### **Guiding the Student**

- Emphasize to the students the goal of this section.
- You may wish to use manipulatives with weaker students.
   These are demonstrated on the video MATH MOVES: Number Theory. It is available from ACCESS Network.
- Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

#### **Practice Activities**

- a. List the first 10 multiples of each of these numbers.
- . ნ
- . 9
- b. Circle the common multiples of 6 and 9.
- c. Put a square around the least common multiple of 6 and9.
- 2. Give the first three common multiples for each of the following pairs of numbers.
- a. 7 and 11
- b. 13 and 2
- c. 4 and 6

## Suggested Answers

- a. The first 10 multiples of 6 are 6, 12, 18, 24, 30, 36, 42, 48, 54, and 60. The first 10 multiples of 9 are 9, 18, 27, 36, 45, 54, 63, 72, 81, and 90.
- b. 6, 12, (18), 24, 30, 36, 42, 48, 54, 60 9, (18), 27, 36, 45, 54, 63, 72, 81, 90
- c. 6, 12, [18], 24, 30, 36, 42, 48, 54, 60 9, [18], 27, 36, 45, 54, 63, 72, 81, 90
- 2. a. 77, 154, 231
- b. 26, 52, 78
- c. 12, 24, 36

Find the LCM for each of these groups of numbers. რ

Module 2

4, 6, and 10 ત્વં

3, 8, and 10 o.

2, 3, 4, and 5 ပ

16 and 18 ö

- Camilla's race car takes nine minutes to circle the track while Kevin's goes around in 12 minutes. 4.
- What is the least amount of time in which they could cross the finish line together? ä.
- Who will have completed more laps? How many more? ٥.

9 ત્તું က် 120 و.

9 ပ 144 ö

- The least amount of time in which they could cross the finish line together is 36 minutes. ત્તું
- Camilla will have completed 1 more lap than Kevin. ف



Suggested Answers

#### Extra Practice

### Computer Alternative



. Do Lesson 17 of the disk *Numbers and Numeration* from the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).

Read the instructions included with the disk before you use the program. If you need help, remember to hold down the SHIFT key and press the [?] key.

#### Print Alternative



 Play The LCM Game<sup>1</sup>. You will need a partner, a pair of dice, and 20 discs (bingo chips or dried kernels of corn). The game board is in the appendix.

1. Computer corrected

Rules for the game are in the module booklet. Discuss the game results with the student.

National Council of Teachers of Mathematics for excerpts from the The Arithmetic Teacher, September, 1987, Reston, Virginia.

Find the LCM for each of the following pairs of numbers. က

Module 2

- 9 and 12 ä
- 12 and 15 Ď.
- 11 and 13 ပ
- Find the LCM for the following groups of numbers. 4.
- 14, 21, and 49 ઌ૽
- 16, 18, and 24 ۵.
- wieners and buns, what is the lowest number of packages of packages of 12. If you want to have an equal number of You can buy wieners in packages of 10 and buns in each that you should buy? Ŋ.



- 36 ત્વં က
- 160 و.
- 143 ပ
- 294 ಥ 4.
- 144 و.
- You should buy 5 packages of buns and 6 packages of wieners. S.

 Majeed replaces the plants in his restaurant to keep them looking fresh and nice. One type gets replaced every eight weeks. Another type gets replaced every 12 weeks.



- a. If Majeed begins on January 1, how many weeks will it be until both types of plants get replaced at the same time?
  - a. It will be 24 weeks before the plants will be replaced at the same time.
- b. How many times in the year will both types get replaced at the same time?
- The plants will be replaced at the same time twice in the year.

## Concluding Activities


- a. Find the product of 18 and 24.
- b. Find the GCF and the LCM of 18 and 24.
- c. Find the product of the GCF and the LCM and compare it to your answer in Part a. of this question.
- d. Repeat the procedure for the numbers 20 and 56.
- a. What statement can you make about the product of two numbers and the product of their GCF and LCM?
- How can you find the GCF of two numbers if you know the numbers and their LCM?
- c. Can you use the same idea to find the LCM if you know the numbers and their GCF?

#### Suggested Answers

- a. 432
- b. The GCF of 18 and 24 is 6.The LCM of 18 and 24 is 72.
- The product of the GCF and LCM is the same as the product of 18 and 24.
- d. The product of 20 and 56 is 1120.
  The GCF of 20 and 56 is 4.
  The LCM of 20 and 56 is 280.
  The product of the GCF and LCM is 1120.
- a. The product of two numbers is equal to the product of their GCF and LCM.

٥i

- b. Divide the product of the two numbers by their LCM to find their GCF.
- Yes. Divide the product of the two numbers by their GCF to find their LCM.



#### **POWERS**

#### What Lies Ahead

In the section the student will learn these skills.

- expressing a product of equal factors as a power
  - evaluating powers

#### **Gathering Materials**

For this section the student will need these items.

Whole Numbers Mathematics 8 and Integers Module 2







Computer Drill and Instruction: Mathematics, Level D (SRA)

#### **Guiding the Student**

- Emphasize to the students the goal of this section.
- The video MATH MOVES: Number Theory may be helpful. You may wish to use manipulatives with weaker students.
- Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

#### **Practice Activities**

- 1. In each of the following expressions, tell which number is the exponent and which number is the base.
- به 4
- b. 3<sup>10</sup>
- c. 2<sub>6</sub>
- 2. Express each of the following groups of factors as a power.
- a.  $4 \times 4 \times 4 \times 4$
- b. 17 × 17 × 17
- c. 121 × 121 × 121 × 121 × 121 × 121 × 121

### Suggested Answers

- . a. 3 is the exponent. 4 is the base.
- b. 10 is the exponent. 3 is the base.
- c. 6 is the exponent. 2 is the base.
- 2. a. 4
- b. 17<sup>3</sup>
- c. 121<sup>7</sup>

3. Write each number in standard form.

ಬ್ಬ ď

<u>ن</u>

ပ

Complete the following table. 4.

243 ю. <u>ო</u>

16 384 ٥. 14 641 ပ

	Exponential			3000	00000000000000000000000000000000000000
	Form	Dase	Exponent	Meaning	Standard Form
ю	52	2	2	5 × 5	25
р.	25	2	5	$2 \times 2 \times 2 \times 2 \times 2$	32
o'	64	9	4	9 × 9 × 9 × 9	1296
Ö	42	4	2	4 × 4	16
o.	108	10	ω	10 × 10 × 10 × 10 × 10 × 10 × 10 × 10	100 000 000
نب	93	က	က	κ κ κ κ	27
Ö	73	7	က	7 × 7 × 7	343
<u>.</u>	2 <sub>e</sub>	2	9	$2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$	64

Çī

- Write each number in expanded form using powers.
- a. 983 765
- b. 1 083 975
- Write each number in standard form.
- a.  $(3 \times 10^5) + (4 \times 10^3) + (5 \times 10^2)$
- b.  $(9 \times 10^6) + (5 \times 10^1) + (3 \times 1)$

- $(6 \times 10^{1}) + (5 \times 1)$   $(1 \times 10^{6}) + (8 \times 10^{4}) + (3 \times 10^{3}) + (9 \times 10^{2}) +$   $(7 \times 10^{1}) + (5 \times 1)$  $(9 \times 10^{5}) + (8 \times 10^{4}) + (3 \times 10^{3}) + (7 \times 10^{2}) +$
- 304 500
- 9 000 053

#### **Extra Practice**

Module 2

#### Computer Alternative



Do Lessons 9, 10, and 11 of the disk Numbers and Numeration from the package Computer Drill and Instruction: Mathematics, Level D (SRA).

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the ? key.

#### Print Alternative



Express each expanded form as a power. ٥i

a. 
$$2 \times 2 \times 2 \times 2$$

ف

c. 
$$5 \times 5 \times 5 \times 5 \times 5 \times 5 \times 5 \times 5$$

d. 
$$10 \times 10 \times 10 \times 10 \times 10 \times 10$$

Computer corrected

42 ત્વં તં

ص

- 3. Express each power in standard form.
- a. 4
- b. 20<sup>2</sup>
- c. 13<sup>3</sup>
- d. 100<sup>3</sup>
- Express each number in expanded form using powers.
- a. 78 956
- b. 103 982

- 3. a. 64
- b. 400
- . 2197
- 1. 1 000 000
- a.  $(7 \times 10^4) + (8 \times 10^3) + (9 \times 10^2) + (5 \times 10^1) + (6 \times 1)$ b.  $(1 \times 10^5) + (3 \times 10^3) + (9 \times 10^2) + (8 \times 10^1) + (2 \times 1)$

1. Evaluate each of these powers using a calculator.



20 Ö. ત્તું

ပ

186<sup>2</sup> ö

ø.

### Suggested Answers

- 15 625 ત
- 27 <u>ن</u>
- 390 625 ပ
- 34 596 ö
- 4 782 969 ö

279 841

**..**.

Student Support Guide

2. Complete each power by supplying an exponent



d. 
$$3375 = 15$$

- 3. a. The standard form of any power with base 5, such as 5, will have what number as its final digit?
- b. The standard form of any power with base 6, such as 6, will have what number as its final digit?
- c. Can you find any other numbers whose powers all have the same last digit when written in standard form? What are they?

- 2. a. 2<sup>7</sup>
- ь. 8<sub>5</sub>
- c. 6<sup>7</sup>

Q.

**1**53

- a. The standard form of any power with base 5 will have 5
  as its final digit.
- The standard form of any power with base 6 will have 6 as its final digit.
- c. Answers will vary. The standard form of any power with base 10 will have 0 as its final digit. The standard form of any power with base 11 will have 1 as its final digit.

Each number has a repeating pattern of last digits for its powers. For example, all powers of 2 end in 2, 4, 6, or 8. 4.

Module 2

= 32

$$2^2 = 4$$

$$2^3 = 8$$

$$2^4 = 16$$

$$2^8 = 256$$

= 128

27

= 64 2° So, the last digit repeating pattern for base 2 is

2, 4, 8, 6.

Complete the last digit repeating pattern for the following numbers.

က

ત્વં

- Ö.
- ပ
- $\infty$ ö
- ö
- တ

- 3, 9, 7, 1 ૡં 4.
- 9 4, Ď.
- 7, 9, 3, 1 ပ
- 8, 4, 2, 6 ö
- 9, ė.

- Use the patterns you discovered in Question 4 to help you determine the last digits for these powers when expressed in standard form.
- b. 4<sup>21</sup>

511

5. a. The last digit will be 5.

c ယ<sub>စ</sub>

The last digit will be 4.

Ö

d. 2<sup>49</sup>

The last digit will be 2.

<u>o</u>

ဂ

The last digit will be 3.

Find the squares for each of these numbers. 6

5 ત્વં 25 6.

ပ

35

ö

45

- What pattern did you notice in Question 6? ત્તું 7.
- Use the pattern from Question 6 to find 55<sup>2</sup> and 65<sup>2</sup>. Ď.

225 ૡં 6

625 <u>ن</u>

1225 ပ 2025 ö ત્વં


7

225

= 2025

3025 11 <u>ن</u>

The last two digits of the answer will always be 25. The front-end product of the first digit of the number being squared and the digits of the answer will be the next consecutive number.



# SCIENTIFIC NOTATION

#### What Lies Ahead

In this section the student will learn these skills.

- · writing numbers in scientific notation
- · writing scientific notation in standard form

# **Gathering Materials**

For this section the student will need these items.

Whole Numbers Mathematics 8 and Integers Module 2 **ϙϙϙϙϙϙϙϙϙϙϙϙϙϙ**ϙϙ





Computer Drill and Instruction: Mathematics, Level D (SRA)

(optional)

#### **Guiding the Student**

- · Emphasize to the students the goal of this section.
- You may wish to have the students work with base 10 blocks to model powers of 10.
- · Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

## **Introductory Activities**

- First review what the concrete models of the powers of 10 look like. Then answer the following questions.
- a. What would 10<sup>4</sup> look like?
- b. What would 10<sup>5</sup> look like?

	103	10 <sup>2</sup>	101	Power
10 groups of 10 <sup>2</sup>		10 groups of 10	10 groups of 10	Concrete Model
	$10^{3} = 10 \times 10^{2}$ $= 10 \times 10 \times 10$ $= 1000$	$10^{2} = 10 \times 10^{1}$ $= 10 \times 10$ $= 100$	$10^1 = 10 \times 1$ = 10	Value and Standard Form


### Suggested Answers

a.  $10^4 = 10$  groups of  $10^3$  or 10000



(This sketch is reduced in size.)

 $10^5 = 10 \text{ groups of } 10^4 \text{ or } 100 000$ 



(This sketch is reduced in size.)

Evaluate each of these powers. Part a. is done as an example.

Module 2

a. 10<sup>4</sup>

. T . ب d.

- Use the results from Question 2 to complete the following statements.
- a. When the exponent is 4 and the base is 10, there will be zeros in the answer.
- b. When the exponent is 5 and the base is 10, there will be zeros in the answer.
- c. When the exponent is 8 and the base is 10, there will be zeros in the answer.
- d. When the exponent is 10 and the base is 10, there will be \_\_\_\_ zeros in the answer.

2. a.  $10^4 = 10 \times 10 \times 10 \times 10 = 10000$ 

b.  $10^5 = 10 \times 10 \times 10 \times 10 \times 10 = 100\ 000$ 

a. When the exponent is 4 and the base is 10, there will be 4 zeros in the answer.

က

- b. When the exponent is 5 and the base is 10, there will be 5\_ zeros in the answer.
- When the exponent is 8 and the base is 10, there will be \_\_\_\_\_\_\_8\_\_ zeros in the answer.
- d. When the exponent is 10 and the base is 10, there will be 10 zeros in the answer.

- 4. done as an example. Complete each power by supplying an exponent. Part a. is
- ö 10 000 = 10
- Ö 1 000 000 = 10
- ဂ 1 000 000 000 = 10
- Q 100 000 = 10
- ĊJ statements. Use the results from Question 4 to complete these
- ង 10 is\_ 10 000 has four zeros and the exponent in the power of
- Ö of 10 is \_\_\_\_\_. 1 000 000 has six zeros and the exponent in the power
- ဂ power of 10 is 100 000 000 has eight zeros and the exponent in the
- Q 10 is 100 000 has five zeros and the exponent in the power of

 $10\ 000 \div 10 = 1000$ 

 $1000 \div 10 = 100$ 

$$100 \div 10 = 10$$

$$10 \div 10 = 1$$

needed to reach 1. Using the division method, four steps were

So, 
$$10\ 000 = 10^4$$

b. 
$$1\ 000\ 000 = 10^6$$
  
c.  $1\ 000\ 000\ 000 = 10^9$ 

d. 
$$100\,000 = 10^5$$

- Çī വ 10 is \_\_4\_\_. 10 000 has four zeros and the exponent in the power of
- Ö. of 10 is 6... 1 000 000 has six zeros and the exponent in the power
- 9 power of 10 is 8. 100 000 000 has eight zeros and the exponent in the
- a 10 is 5 100 000 has five zeros and the exponent in the power of

 Change each of these to standard form. Part a. is done as an example.

a.  $1.575 \times 10^5$ 

b.  $1.325 \times 10^3$ 

c.  $4.76 \times 10^4$ 

d.  $3.82 \times 10^2$ 

7. Use the results from Question 6 to complete these statements.

- a. When you multiply a number by 10<sup>5</sup>, the decimal point moves \_\_\_\_ places to the right.
- b. When you multiply a number by 10, the decimal point moves \_\_\_\_ places to the right.
- When you multiply a number by 10<sup>4</sup>, the decimal point moves \_\_\_\_ places to the right.
- d. When you multiply a number by 10<sup>2</sup>, the decimal point moves \_\_\_ places to the right.

6. a.  $1.575 \times 10^5 = 1.575 \times 100000$ =  $1575 \times 100000$ 

b.  $1.325 \times 10^3 = 1325$ 

- c.  $4.76 \times 10^4 = 47600$
- d.  $3.82 \times 10^2 = 382$
- a. When you multiply a number by 10<sup>5</sup>, the decimal point moves 5\_ places to the right.
- b. When you multiply a number by 10, the decimal point moves 3 places to the right.

When you multiply a number by 104, the decimal point

ပ

- moves \_\_4\_ places to the right.

  d. When you multiply a number by 10<sup>2</sup>, the decimal point
  - moves 2 places to the right.

#### **Practice Activities**

- 1. Which of the following numbers are written in scientific notation?
- a.  $6.7 \times 10^{23}$
- b. 7 000
- c.  $0.4 \times 10^2$
- d.  $9 \times 10^{1}$
- e.  $13 \times 10^{29}$
- f.  $1.89 \times 5^{10}$
- 2. Complete each scientific notation by supplying an exponent.
- a.  $312.4 = 3.124 \times 10^{333}$
- b.  $940\,000 = 9.4 \times 10^{33}$
- c.  $10.43 = 1.043 \times 10^{3}$
- d.  $6\,000\,600 = 6.0006 \times 10^{-10}$

### Suggested Answers

- a. Yes
- b. No
- c. No
- d. Yes
- e. No
- f. No
- a.  $312.4 = 3.124 \times 10^{2}$

io

- b.  $940\,000 = 9.4 \times 10^{\boxed{5}}$
- c.  $10.43 = 1.043 \times 10^{11}$
- d.  $6\,000\,600 = 6.000\,6 \times 10^{6}$

Complete the scientific notation for each of the following by writing the correct decimal number in the box. က

a. 
$$40.962.000 = \times 10^7$$

ö

- 4 000 ત્વં
- 312 000 و.
- 9 002 000 ပ
- 63 500 000 000 ö

- The mass of Earth is 5 984 000 000 000 000 t. ત
- The number of salt water molecules on Earth is 000 000 000 000 000 Ď.
- The circumference of Jupiter is about 434 000 km. o.

3. a. 
$$(4.0962) \times 10^7$$

$$1.002 \times 10^3$$

<u>.</u>

× 10<sup>3</sup>

× 10<sub>8</sub>

× 10

ပ

d. 
$$5.5555 \times 10^4$$

4 a. 
$$4 \times 10^3$$

b. 
$$3.12 \times 10^{5}$$

c. 
$$9.002 \times 10^6$$
  
d.  $6.35 \times 10^{10}$ 

5. a. 
$$5.984 \times 10^{18}$$

b. 
$$1.2 \times 10^{47}$$

c. 
$$4.34 \times 10^5$$

- 6. Express each of the following in standard form.
- a. The distance from the sun to Earth is about 1.5  $\times$  10  $^8$  km.





- b. The distance from the sun to Jupiter is about 7.8  $\times$  10  $^{9}$  km.
- c. The number of cells in a bacterial culture is  $4.03\times10^{12}$  cells.
- b. 7 800 000 000
- c. 4 030 000 000 000

#### 53

### Suggested Answers

#### Computer Alternative

**Extra Practice** 

Module 2



and Numeration from the package Computer Do Lessons 11 and 12 on the disk Numbers Drill and Instruction: Mathematics Level D Read the instructions in the folder with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the ? key.

#### Print Alternative



Complete each of these expressions. તં

a. 
$$23.3 = 2.33 \times 10^{33}$$

$$10 090 = \times 10^4$$

$$400 090 = \times 10^5$$

۵.

ပ

d. 
$$290 = 2.9 \times 10^{33}$$

b. 
$$1.009 \times 10^4$$
 c.  $4.0009 \times 10^5$ 

d. 
$$2.9 \times 10^{2}$$

Student Support Guide

3. Express each of the following in scientific notation.

- a. 872 000
- b. 891 700 000
- c. 532 800
- d. 2 004 000 000
- 4. Change each of the following to standard form.
- a.  $7.241 \times 10^5$
- b.  $1.4 \times 10^7$
- c.  $3.974 \times 10^{8}$
- d.  $5.055 \times 10^2$

- 3. a.  $8.72 \times 10^5$
- b.  $8.917 \times 10^{8}$
- c.  $5.328 \times 10^5$
- d.  $2.004 \times 10^9$
- . a. 724 100
- b. 14 000 000
- c. 397 400 000
- d. 505.5

Mr. Rajoo's heart beats 2.7594  $\times$  10  $^{9}$  times in 75 years.

5

Module 2



If light travels at the speed of 300 000 kilometres per second, how far does light travel in one year? Express your answer in scientific notation. ю.

Light travels  $9.4608 \times 10^{12}$  kilometres per year. 6

56

## **Concluding Activities**



- ä simple calculators? What is the greatest number, in standard form, that can be displayed on most
- ō 1 673 195 054 into a simple calculator? What happens when you try to enter
- ဂ  $87\,000 \times 5\,670$  on a simple calculator? What happens when you multiply
- Ω and 58 616 790 on a simple calculator? What happens when you add 52 972 167

### Suggested Answers

- 'n 99 999 999
- Ö The display reads as follows.
- ဂ The calculator displays an answer and the error symbol.

not displayed. The 4 at the end is

16731950



<u>a</u> The calculator reads as follows





#### Note

is displayed if a product or sum is greater than this number. calculators do not display numbers greater than 99 999 999. An E The purpose of this activity is for students to realize that simple

Scientific calculators use scientific notation to display larger multiplication sign and the power of 10. Instead, a space is numbers. However, these calculators do not display the left between the number and the exponent. તં

Example: When written in scientific notation, a number looks

$$5.138 \times 10^{8}$$

When displayed in scientific notation on your calculator, the same number looks like this.

#### 5.138

What do the following displays mean?

ૡં

b. 3.2719 15

2. a. 
$$4.2719 \times 10^{6}$$

 $3.2719 \times 10^{15}$ 

و.



#### SUMMARY

#### What Lies Ahead

In this section the student will review these skills.

- · finding the factors of a number
- finding the common factors and the GCF of two or more numbers
  - finding the multiples of a number
- finding the common multiples and the LCM of two or more numbers
- expressing numbers in standard form, powers, expanded form, and scientific notation

#### **Gathering Materials**

For this section the student will need these items.

Mathematics 8
Module 2
Whole Numbers
and Integers



#### **Guiding the Student**

- Emphasize to the students that the goal of this section is to review Sections 2 to 6 and to discover how much they have progressed since the pretest.
- Help the students check their new answers to the pretest in Section 2.



#### **GETTING SET**

#### What Lies Ahead

This section will pretest the following skills.

- adding integers
- subtracting integers
  - · multiplying integers
- dividing integers
- · performing a series of operations

## Gathering Materials

For this section the student will need these items.











#### **Guiding the Student**

- Emphasize to the students that the goal of this section is to discover their strengths and weaknesses in integers.
- · Help the students check their answers to the pretest. It is not necessary to correct errors at this time. See the last page of this section for further directions.

#### Pretest

- 1. Write an integer which represents
- a. a pay raise of \$300.
- b. a cheque written on your bank account for \$21.
- c. 6 700 metres below sea level.
- d. a golf score of six over par.
- e. 14 degrees below the freezing point.
- 2. Write the opposite integer for each of the following.
- a. -46
- b. 198
- c. -230
- d. +99

## Suggested Answers

given in each of these cases. က

49 ದ

4

-49 -41

۵.

- ပ
- ö
- e. -31 👛 -30
- Arrange each group of integers in increasing order. 4.
- -2, +14, -20, -14, +7, 0ю

Ö.

+9, +8, -36, -20, -1, +100, -1000

- 49 > 41 ઌ૽ က
- -49 < -41و.
- 7 > -7 ပ
- -2 < 1ö
- -31 < -30 ø.
- -20, -14, -2, 0, +7, +14ri G 4.
- -1000, -36, -20, -1, +8, +9, +100Ď.

Ċī

The diagrams showing the modelling are on page 72.

Ģ complete each addition sentence. Use counters and a container to find these sums and then

a. 
$$(+9) + (+2)$$



- ġ. (-6) + (+3)
- ဂ (+4) + (-6)
- 0 (-4) + (-3)
- တ Add these integers mentally.
- (+12) + (-3)
- (-4) + (-8)

ġ.

- ဂ (+2) + (+3)
- Ω (-12) + (+8)

- Ö ا د

ä

+ 11

- ဂ 12
- <u>a</u>
- ტ +9
- Ö 1/2
- ? +
- <u>a</u> -4

ત્વં


7

### Use a calculator to answer these problems. 7.

ત્તું



- One day this winter the temperature was during that day and a further six degrees - 13°C. It dropped another 10 degrees temperature recorded on this particular overnight. What was the coldest
- temperature by 18 degrees. What was The next day a chinook raised the the resulting temperature? ف



Display	64- 04- 8-
Key Press	+ 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-

The final temperature was - 29°C.

6

Display	92- 84 -41
Key Press	+ 18

The temperature was - 11°C after the chinook.

00

The diagrams showing the modelling are on page 73.

- Use counters and a container to find each of these differences.
- a. (+4) (+2)



- b. (+6) (-2)
- (-5) (+3)
- d. (-7) (-2)
- Compute each of the following mentally or use paper and pencil.
- a. (+20) (+18)
- b. (+43) (-21)
- c. (-15) (+30)
- d. (-11) (-29)

- a. +2
- b. +8
- c. 8
- d. -5
- 9. a. +2
- b. +64
- c. -45
- d. +18


10. Use a calcultor to answer these problems.

Module 2


ૡં



was - 12°C. Today it is 5°C. How many Yesterday the temperature in Barrhead degrees has the temperature risen?



McKinley in Alaska at 6 194 metres. The lowest is in Death Valley at -86 metres. The highest spot in North America is Mt. What is the difference in the heights of these two places? ف



Display	
Key Press	
ત્તું	
<del>0</del>	

5	21-	1.3
5	1	11
	2	
	-	

The temperature has risen 17°C.

Display	082 9 98 - 16
Key Press	6199 -864
Ö.	

The difference in the two heights is 6280 m.



11. Use counters and a container to find each of these products.

a.  $(+3) \times (+2)$ 



- b.  $(+4) \times (-2)$
- c.  $(-2) \times (+3)$
- d.  $(-3) \times (-4)$
- 12. Find each of these products mentally.

a. 
$$(+4) \times (+5)$$

- b.  $(+7) \times (-3)$
- c.  $(-8) \times (+4)$
- d.  $(-10) \times (-6)$

11. The diagrams showing the modelling are on page 74.

- b. -8
- c. -6
- d. + 12
- 12. a. +20
- b. -21
- c. -32
- d. +60

13. Use your calculator to find each of these products.

a. 
$$(+12) \times (-16) =$$



b. 
$$(-48) \times (+34) =$$

c. 
$$(-62) \times (-49) = \blacksquare$$

d. 
$$(+19) \times (+87) =$$

14. Use counters and a container to find each of these quotients.

a. 
$$(+6) \div (+2)$$



b. 
$$(-6) \div (+2)$$



d. 
$$(-10) \div (-2)$$

+ 1653

ö

 Find each of these quotients mentally or by using paper and pencil methods.

a. 
$$(+69) \div (+3) =$$

b. 
$$(+74) \div (-37) =$$

c. 
$$(-24) \div (+3) =$$

d. 
$$(-50) \div (-10) =$$

16. Use your calculator to find each of these quotients.



7

Use the rules for order of operations to evaluate each of the following.

Module 2

a.  $(-6) + (-2) \times (-4)$ 

b.  $(-8) \div (-4) \times (-3) - (-5)$ 

<u>ن</u>

(-4) + (+2) - (-3) $(+8) \times (-3) \div (-24)$ ပ

ပ

+ 16

ö


d.  $[(+16) - (+2) \times (-8)] \div [(-3) \times (+4) \div (-6)]$ 

17. a.

+2


Student Support Guide

5. a.



(+ 9) + (+ 2) means to put 9 positive counters and then 2 positive counters into a container. The result is 11 positive counters. So, (+ 9) + (+ 2) = + 11.


Ö



(-6) + (+3) means to put 6 negative counters and then 3 positive counters into a container. After removing the zero pairs, the result is 3 negative counters.


So, 
$$(-6) + (+3) = -3$$
.

c.



(+4) + (-6) means to put 4 positive counters and then 6 negative counters into a container. After removing the zero pairs, the result is 2 negative counters. So, (+4) + (-6) = -2.


<u>a</u>



(-4) + (-3) means to put 4 negative counters and then 3 negative counters into the container. The result is 7 negative counters. So, (-4) + (-3) = -7.

8. a.


Module 2



(+4) - (+2) means to take out 2 positive counters from a container with 4 positive counters. The result is 2 positive

counters. So, (+4) - (+2) = +2.

ō.



(+6) - (-2) means to take out 2 negative counters from a container with 6 positive counters. The result is 8 positive counters. So, (+6) - (-2) = +8.

000

00

(-5) – (+3) means to take out 3 positive counters from a container with 5 negative counters. The result is 8 negative counters in the container. So, (-5) – (+3) = -8.


<u>√</u> ъ




①

(-7) – (-2) means to take out 2 negative counters from a container with 7 negative counters. The result is 5 negative counters. So, (-7) – (-2) = -5.


11. a.



(+3)  $\times$  (+2) means to put three groups of 2 positive counters into the container. The result is 6 positive counters in the container. So, (+3)  $\times$  (+2) = +6.



 $(+4) \times (-2)$  means to put four groups of 2 negative counters into the container. The result is 8 negative counters in the container. So,  $(+4) \times (-2) = -8$ .



 $(-2) \times (+3)$  means to take out two groups of 3 positive counters from the container. The result is 6 negative counters in the container. So,  $(-2) \times (+3) = -6$ .

<u>α</u>




 $(-3) \times (-4)$  means to take out three groups of four negative counters from the container. The result is 12 positive counters in the container.

So, 
$$(-3) \times (-4) = +12$$
.


Module 2

14. a.



(+6) ÷ (+2) means to get 6 positive counters in the container, two groups of how many counters are put in the container. Two groups of 3 positive counters are put in.

So,  $(+6) \div (+2) = +3$ .



 $(-6) \div (+2)$  means to get 6 negative counters in the container, two groups of how many counters are put in the container. Two groups of 3 negative counters are put in. So,  $(-6) \div (+2) = -3$ .

(+6) + (-2) means to get 6 positive counters in the container, three groups of how many counters are taken out of the container. Three groups of 2 negative counters are taken out. So,  $(+6) \div -3 = -2$ .



 $(-10) \div (-2)$  means to get 10 negative counters in the container, two groups of how many counters are taken out of the container. Two groups of 5 positive counters are taken out. So,  $(-10) \div (-2) = +5$ .

# **Guiding the Student**

Help each student to decide what to do next. It is recommended that students review the notes of the section which corresponds to the questions with which the students experienced success and that the students do a few sample questions from the activities.

It is recommended that students carefully study the notes in the sections which corresponds to the questions with which the students experienced difficulty, and that the students do most of the questions in the activities.

14, 15, 16	11, 12, 13	8, 9, 10	5, 6, 7	3, 4	1, 2	Question
dividing integers	multiplying integers	subtracting integers	adding integers	comparing and ordering integers	interpreting an integer	Skill
13	12	=======================================	10	9	9	Section

#### INTEGERS

### What Lies Ahead

In this section the student will learn these skills.

- interpreting integers
- · reading and writing integers
  - · comparing integers
    - ordering integers

## Gathering Materials

For this section the student will need these items.

Mathematics 8
Module 2
Whole Numbers
and Integers





Disk Pre-Algebra D from Computer Drill and Instruction: Mathematics, Level D (SRA)

(optional)

## **Guiding the Student**

- Emphasize to the students the goal of this section.
- Help the students decide what to do in this section.

 Help the students check their answers to the activities in this section and correct any errors.

### **Practice Activities**

- Write the positive or negative integer that describes each of these situations.
- a. two floors below ground level
- b. 6 km above the ground
- c. five bonus points
- d. 12 m below sea level
- e. nine degrees above the freezing point
- 2. Write the opposite integer for each integer given.
- a. +3
- b. 13
- c. 43
- d. -1001
- e. <u>- 1</u>

# Suggested Answers

- 1. a. -2
- b. +6
- c. +5
- d. 12
- e. +9
- 2. a. -3
- b. +13
- c. 43
- d. + 1001
- e. +1

Find the pair of opposite integers in each group. က

Module 2

ૡં

က

In a golf game, – 2 means two strokes under par. What does each of the following integers mean when expressed as a golf score? 4.












4

ö



- six strokes under par ä 4.
- two strokes over par Ď.
- no strokes under or over par ပ
- fourteen strokes over par ö
- eight strokes under par e.

5. Complete each of the following number lines.



Ċī

ä

-3 -2 -1 0

N

ω

4

Ŋ

Ö

-3


2

<u></u>

ω

S

တ



9

-10

<u>-9</u>

-8

-7 -6

5

-4

<u></u>ω

-2

- 6. Use > or < to show the relationship between each pair of integers.
- a. 6

16

-5 -3

Ö

-2 🔷 -20

?

-12 💮 1

Q

e. 4 > +5

a. 6 < 16

თ

- b. -5 < -3
- c. -2 > -20
- d. -12 < 1
- e. 4 < 5

7. Arrange each group of integers in order from least to greatest.

Module 2

b. 
$$+6, 0, -4, -8, +11, +4, -10, -5$$

c. 
$$-1, -3, -6, +8, +13, +11, 0, -15$$

b. 
$$-10, -8, -5, -4, 0, +4, +6, +11$$

c. 
$$-15, -6, -3, -1, 0, +8, +11, +13$$

Student Support Guide

### Extra Practice

## Computer Alternative



Do Lessons 11 and 12 on the disk *Pre-Algebra D* from the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the [?] key.

### **Print Alternative**



- Use integers to describe each of these situations.
- a. a raise of 7%
- b. a loss of \$40
- a gain of 30 yards
- d. four strokes below par

# Suggested Answers

Computer corrected

b. - 40 c. + 30

a

-4

in

ы

+7

83

40 degrees below zero Celsius e.

Module 2

bank account withdrawal of \$50 <u>ب</u>

120 m above sea level ö

a profit of \$10 609 <u>۔</u>

Order each of these groups of integers from least to greatest. က

-1, -2, -6, +8, +10, 0, +1æ.

33, 13, 3, -3, -13, -33 Þ.

0, 2, 4, -2, -63, 129, -10468ပ

- 40 oj. - 50

+ 120 တ် + 10 609 Ŀ

-6, -2, -1, 0, +1, +8, +10ત્તું က

-10468, -63, -2, 0, +2, +4, +129ပ

-33, -13, -3, +3, +13, +33

و.

# **Concluding Activities**

Give the absolute value of the following integers.

ω

+7

# Suggested Answers

1. 
$$|+5| = 5$$

2. 
$$|-5|=5$$

5. 
$$|0| = 0$$

# **ADDING INTEGERS**

### What Lies Ahead

In this section the student will review this skill.

adding integers using objects

In this section the student will also learn these skills.

- · adding integers without using objects
  - adding integers using a calculator

## **Gathering Materials**

For this section the student will need these items.

Mathematics 8

Module 2

Whole Numbers
and Integers







- Computer Drill and Instruction: Mathematics, Level D (SRA)
- Integers/Integer Fast Facts (EduSoft)

(optional)

### **Guiding the Student**

- Emphasize to the students the goal of this section.
- You may wish to use the video MATH MOVES: Integers from ACCESS Network to demonstrate the modelling.
- Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

# **Introductory Activities**

Use your counters to model these sums and complete each addition number sentence.

a. 
$$(+2) + (+5) =$$



b. 
$$(-3) + (-6) =$$

$$(-3) + (+6) =$$

ဂ

d. 
$$(+3) + (-4) =$$

$$(-2) + (+1) =$$

- Ņ What pattern occurs when you add counters with like signs?
- ω signs? What pattern occurs when you add counters with unlike

# **Suggested Answers**

Ö

9

9

- in same sign as the counters. answer is the sum of the counters, and the answer has the When counters with like signs are added, the number in the
- surplus counters. negative counters, and the answer has the same sign as the the answer is the difference between the positive and When counters with unlike signs are added, the number in

ω

### **Practice Activities**

Module 2

### **Print Alternative**

. Find each of these sums mentally. Write your answer.



$$(+7) + (+1) =$$

ત્વં

$$(-3) + (-6) =$$

٥.

$$= 0 + (9 -)$$

ပ

d. 
$$(-4) + (+9) =$$

$$(+2) + (-2) =$$

ė.

$$(-6) + (+3) =$$

$$(+11) + (-8) + (+10) =$$

တ်

h. 
$$(-1) + (+6) + (-4) + (-2) =$$

Solve the following word problem. Show the number sentence which you used. The temperature at 3 o'clock was 12°C. By 9 o'clock it had fallen 5°C. What was the temperature at 9 o'clock?

# Suggested Answers

- . a. +8
- b. 9

9

ပ

- d. +5
- e.
- က ၂
- g. +13
- (+12) + (-5) =

ci

ī

۲.

- (+12) + (-5) = +7
- By 9 o'clock the temperature was 7°C.

# Computer Alternative



Do Lesson 13 on the disk *Pre-Algebra* from *Computer Drill and Instruction: Mathematics, Level D* (SRA).

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the [?] key.

Computer corrected

### **Extra Practice**

Module 2

## Computer Alternative



Work with the program Integers from the disk Integers/Integer Fast Facts (EduSoft). Read the User's Guide supplied with the disk. Choose the addition operation.

# Suggested Answers

1. Computer corrected

### Print Alternative



Find each of these sums mentally. Write the answer. તં

$$(+6) + (+3) =$$

Ď.

$$(-5) + (+8) =$$

ပ

$$(-1) + (-10) = ($$

ö

$$(+12) + (-7) =$$

ė.

6+


6

+2

o.

- Draw a number line to show each of these events.
- a. a growth of 2 cm followed by a growth of 5 cm
- a temperature rise of 8°C followed by a drop of 5°C
- a withdrawal of \$5 followed by a deposit of \$10
- Write a number sentence to describe each of the events in Question 3. Give the correct answer.

. မ



-5 -4 -3 -2 -1 0

N

ω

4

S

+10

- 4. a. (+2) + (+5) = +7
- b. (+8) (+5) = +3
- c. (-5) + (+10) = +5

5. Colonel Bogey scores – 1 on his first round of golf and + 4 on the next round. What is his score after both rounds?

Module 2



6. Felina lost six marbles in one game and then lost 10 more in another game. What was her total loss?

5. 
$$(-1) + (+4) = +3$$

Colonel Bogey's score after both rounds is +3.

$$6. (-6) + (-10) = -16$$

Felina lost a total of sixteen marbles.

# **Concluding Activities**



Use your calculator to complete the *How's Business?* puzzle on the following page.

Creative publications for excerpt from Algebra with Pizzazz

Module 2

# How's Business?

answering the question "How's Each person below is Business?"

working until you have decoded find your answer in code below. Each time the answer appears in the code, write the letter of any question at the right and that exercise above it. Keep To decode their answers do all four responses.

$$) (+10) + (-32)$$

B

>

Ш

(-37) + (-41)

4

$$(W)$$
 (+54) + (-73)

93

(+737) + (-923)

#### Soldier

ш -ഗ  $\supset$ 7 Mine is

ω -2 37 30

- 87 - 22 - 37

ω

59

ഗ

Z

⋖

I

 $\vdash$ 

ш

Z

0

-

 $\supset$ 

0

മ

V

Mine is

Boxer

۵ Σ 49 - 22

0

ω

ω

37

0

26

- 78

2 - 93

59

- 83

0

Ш

>

0

 $\alpha$ 

Ш > S

I

Ш

ഗ

 $\alpha$ 

0

≥

Mine is

Steak Sauce Maker

 $\alpha$ 

N

- 78

59

- 186

7

- 22

27

ω

59

- 2

0

0

- 19


Math Teacher

ഗ 4 O Mine is

ഗ

-2 - 186- 2

-846 161 - 78



Module 2

# **SUBTRACTING INTEGERS**

### What Lies Ahead

In this section students will learn these skills

- subtracting integers using objects
- subtracting integers without using objects

## Gathering Materials

For this section the student will need these items

Whole Numbers Mathematics 8 and Integers Module 2









- Computer Drill and Instruction: Mathematics, Level D (SRA)
- Integers/Integer Fast Facts (EduSoft)

(optional)

## **Guiding the Student**

- · Emphasize to students the goal of this section.
- from ACCESS Network. It models subtracting integers with You may wish to use the video MATH MOVES: Integers counters.
- · Help the students check their answers to the activities in this section and correct any errors.

Help the students decide what to do in this section.

# **Introductory Activities**

Use your counters to find the differences for each of the following cases.



$$(+6) - (+3) =$$

ы

b. 
$$(-6) - (-5) =$$

d. 
$$(-5) - (-6) =$$

$$(-7) - (+4) =$$

Φ.

$$(+2) - (-5) =$$

N differences. Use your counters to model the following sums and

a. 
$$(+3) - (+1) = 333$$
 and  $(+3) + (-1) = 333$ 

b. 
$$(-2) - (-1) = \square$$
 and  $(-2) + (+1) = \square$ 

c. 
$$(+3) - (-2) = 3$$
 and  $(+3) + (+2) = 3$ 

ω Question 2? What did you notice about the sums and differences in

# Suggested Answers

O

1 1

a. 
$$(+3) - (+1) = +2$$

Ņ

$$(+3) + (-1) = +2$$

b. 
$$(-2) - (-1) = -1$$
  
 $(-2) + (+1) = -1$ 

$$(+3) - (-2) = +5$$

11

<u>\_\_</u>

9

$$(+3) + (+2) = +5$$

Module 2

### **Practice Activities**

## Computer Alternative



Do Lesson 14 on the disk *Pre-Algebra* from the package *Computer Drill and Instruction: Mathematics, Level D* (SRA).

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the [?] key.

### Print Alternative



Fill in the missing integer in each of these cases.

a. 
$$(+4) - (+4) = (+4) + ||$$

b. 
$$(+7) - (-12) = (+7) +$$

c. 
$$(-6) - (-8) = (-6) + 8$$

d. 
$$(-3) - (-9) = (-3) +$$

e. 
$$(-5) - (+6) = (-5) +$$

# Suggested Answers

1. Computer corrected

2. a. 
$$(+4) - (+4) = (+4) + (-4)$$

b. 
$$(+7) - (-12) = (+7) + (+12)$$

d. 
$$(-3) - (-9) = (-3) + (+9)$$

(-6) - (-8) = (-6) + (+8)

ပ

e. 
$$(-5) - (+6) = (-5) + (-6)$$

- ω Find the difference in each of the following questions.
- ည (-40) - (+40) =
- Ö. (-17) - (-12) =
- ဂ (+20) - (+8) =
- <u>a</u> (+13) - 0 =
- Φ. (+4) - (+6) =
- 4. Solve the following word problem. Use a number sentence to find the answer.

+ 11 at the end of the tournament. By how many strokes did his score change? A golfer's score went from - 1 at the end of the first round to



- ω ġ - 80
- Ö 1 OI
- ဂ + 12
- Ω + 13
- Ō 1 N
- 4. (+11) - (-1) = +12

His score changed by 12 strokes.

### **Extra Practice**

1. For each of these integers give the additive inverse.

- , u
- b. +
- . ;
- d. 17
- e. -7000

2. Rewrite each of the following using the **opposite operation** and the additive inverse. Then find the answer.

- a. (-6) (+3) =
- b. (+5) (+6) =
- c. (-2) (-4) =
- d. (+12) (-6) =

# Suggested Answers

2. a. 
$$(-6) + (-3) = -9$$

b. 
$$(+5) + (-6) = -1$$

c. 
$$(-2) + (+4) = +2$$

d. 
$$(+12) + (+6) = +18$$

# Computer Alternative



ယ Use the program Integers from the disk Integers/Integer Fast Facts (EduSoft).

Choose the subtraction option. Read the User's Guide supplied with the disk.

### **Print Alternative**


Use number lines to help you solve Questions 4 to 6.



A chinook in southern Alberta raised the much did the temperature change? temperature from - 18°C to - 3°C. By how




ω Computer corrected



The temperature changed by + 15°C.

Module 2


The peak of Mt. Everest is +8 848 m or 8 848 m above sea level. The floor of Death Valley is 8 934 m lower than the peak of Mt. Everest. What is the elevation of the floor of Death Valley? ĸ.



The elevation of the floor of Death Valley is – 86 m.

The Pacific Ocean floor is - 11 034 m or 11 034 m below sea level. The Dead Sea floor is - 400 m or 400 m below sea level. What is the difference between their elevations? ဖ

6



The difference between the elevation of the Pacific Ocean floor and the Dead Sea floor is 10 634 m.


# Concluding Activities

Use your calculator to solve Questions 1 to 3.




- 8 848 m in height. How far apart are the two spots vertically? highest spot is Mt. Everest in Nepal. It is coast. It is 11 033 m below sea level. The Deep in the Mariana Trench off the Asian The deepest spot in the world is Challenger
- Ņ lowest temperatures recorded on Earth? is the difference between the highest and Earth is 58°C. The lowest ever is -89°C. What The highest ever recorded temperature on
- ω Complete the puzzle on the following page.

# Suggested Answers



vertically. Challenger Deep and Mt. Everest are 19 881 m apart



in


temperatures is 147°C. The difference between the highest and lowest 103

Module 2


# What Do Vampires Do on Halloween?

To answer this question, follow these directions.

Draw a straight line connecting each exercise with its correct answer. Each line will cross a number and a letter. The number tells you where to put the letter in the row of boxes at the bottom of the page.




Student Support Guide




Section 12

# **MULTIPLYING INTEGERS**



#### Gathering Materials

For this section the student will need these items.









Computer Drill and Instruction: Mathematics, Level D (SRA)

#### **Guiding the Student**

- · Emphasize to students the goal of this section.
- · You may wish to use the video MATH MOVES: Integers to demonstrate modelling.
- Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

Student Support Guide Mathematics 8

### **Introductory Activities**

Use counters to model the following products. Write a number sentence which shows the answer.



a. 
$$(+2) \times (+4)$$

b. 
$$(+3) \times (-3)$$
  
c.  $(-2) \times (-4)$ 

d. 
$$(-3) \times (+1)$$

d. 
$$(-3) \times (+1)$$

Use counters to model the following and find a pattern.

Watch the signs. 'n

ю

$$(+3) \times (+1)$$

b. 
$$(+2) \times (-4)$$

c. 
$$(+1) \times (+2)$$
  
d.  $(-1) \times (-4)$ 

e. 
$$(-2) \times (-1)$$

f. 
$$(-3) \times (+2)$$

#### Suggested Answers

#### Practice Activities

Module 2

#### Computer Alternative



Do lesson 15 of the disk "Pre-Algebra" from the package, Computer Drill and Instruction: Mathematics, Level D (SRA).

Read the instructions in the folder with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the ? key.

### Suggested Answers

Computer corrected

Student Support Guide

# Module 2 108

Section 12

#### **Print Alternative**



Ņ Tell which products will be positive and why.

a. 
$$(-1) \times (+3)$$

b. 
$$(-4) \times (-4)$$

c. 
$$(+5) \times (-2)$$

d. 
$$(+8) \times 0$$

e. 
$$(+2) \times (-6)$$

f. 
$$(+3) \times (+9)$$

h. 
$$(-4) \times (-10)$$

ώ Find the products for questions 2 above.

c. 
$$-10$$

Ω

0

Φ

- 12

Module 2

- 3 demerit points or +3 charged to their licences. What was In one week, 5 drivers in Hooterville each had the total demerits for the week? 4
- In a motorcross meet, Kim was charged with 7 penalty points or -7 in each of the 2 races he ran. Whay was his total penalty? 5



4. 
$$(+5) \times (+3) = +15$$

The total number of demerits for the week is 15.

5. 
$$(+2) \times (-7) = -14$$

Kim's total penalty was 14 points.

Student Support Guide

Section 12

#### Extra Practice

#### Computer Alternative



Use the program "Integers" from the disk Integers/Integer Fast Facts (EduSoft).

Read the User's Guide. Choose the multipliation operation.

#### **Print Alternative**



Use number lines to help you solve questions 2 - 4.


#### Suggested Answers

Computer corrected


Module 2

Here is a number sentence descibing the event.

five minutes ago?



Draw a number line for the event and solve the problem using mental calculation.



Five minutes ago Michael's position was - 10 m.


Student Support Guide

ω

ω in four minutes? cliff. If he moves 2 m in one minute, what will his position be Michael's present position is 0 m and he is moving down the

Number sentence for the event.

using mental calculation. Draw a number line for the event, and solve the problem




In four minutes Michael's position will be - 8 m.


Michael's present position is 0 m and he is moving down the cliff. If he moves 2 m in one minute, what was his position three minutes ago? 4.

Module 2

The number sentence:



Draw a number line for the event, and solve the problem using mental calculation.



Three minutes ago Michael's position was +6 m.

Student Support Guide

#### **Further Practice**

Suggested Answers

Find the product. Use the cut out of Droopy from the appendix and number lines to help you if you like.

1. 
$$(-9) \times (+3) =$$

3. 
$$(+6) \times (-6) =$$

4. 
$$0 \times (+8) =$$

6. 
$$(+5) \times (-9) =$$

#### 115

### Concluding Activities

Module 2

Find the products for each of the following using a calculator.



b. 
$$(-4) \times (+2) =$$

c. 
$$(-5) \times (-3) =$$

d. 
$$(+4) \times (+3) \times (-2) =$$

e. 
$$(+4) \times (-3) \times (-2) =$$

f. 
$$(-4) \times (-3) \times (-2) =$$

- $(-4) \times (-3) \times (-2) \times (-1) =$ Ö
- What patterns do you notice in question 1? κi
- When there are all positive signs, what sign goes with the answer? ď
- When there is an even number of negative signs, what sign goes with the answer? Ö.
- When there is an odd number of negative signs, what sign goes with the answer? ပ

#### Suggested Answers

- A positive sign goes with the answer when all signs are positive. ત્વં κi
- A positive sign goes with the answer when there is an even number of negative signs. <u>.</u>
- A negative sign goes with the answer when there is an odd number of negative signs. ပ

- Write P if the answer will be positive and N if the answer will be negative.
- a.  $(-4) \times (+2) \times (+9)$
- b.  $(+4) \times (+2) \times (+3)$
- c.  $(-1) \times (-6) \times (+4)$
- d.  $(-5) \times (-2) \times (-6)$
- e.  $(+2) \times (-3) \times (+5) \times (-2)$

- 3. a. N
- b. P
- c. P
- e. P

<u>Q</u>

Z

Use a calculator for Questions 4 and 5.



- 4. Find the answers to question 3.
- 5. Complete the puzzle on the next page.

a

- 60

Creative Publications for excerpts from Algegra with Pizzaz.

#### Hidden Message

First, do each exercise at the right and find your  $1 - 48 \times (-17)$ answer in the rectangle below. The correct

2 (+39) × (-68) answers may take up any number of boxes in a answers run across from left to right. These

 $3 (-8) \times (+4) \times (-7)$ 

4 (-6) × (+1589)

right answer. When you finish, there will be 27

boxes not shaded in.

Second, shade in the boxes containing each

 $5 \mid (-15) \times (-25) \times (-35)$ 6 (-100) × (+9) × (+53)

7 (-3) × (+8) × (-9) × (-7)

 $8 \mid (-94) \times (-1) \times (+78) \times (+20)$ 

 $(-498) \times (+10) \times (+20) \times (+30)$  $(-8) \times (-8) \times (-8) \times (-8)$ 10 0

11  $(-3) \times (-3) \times (-3) \times (-3) \times (-3)$ 

Starting on the top line and working from left to right, print the 27 letters that remain into the boxes at the bottom of the page. A hidden message will appear!

			_	
7	Z	7	Z	က
S O	0	9	$\supset$	4
∢4	0	ග	S	0
മേഖ	O			0
ON	Z	য়া		Ν.
	*********	*******		
۳ /	_	4	٧	۲.
шΤ	ш	က	Ш	4
≪ ⋈		4	В	
~ VN				
ш +-	0	Q.	G	9 -
=	Œ	$\infty$	_	
≥ເΩ	Ш	1	Z	2
∢ ,	Z	LO.	0	0
(15	_			
9	0	C/J	8	4
<b>ს</b> დ		<b></b>	n	9
<u> </u>			Þ	9
3 C	_ _		э 0	
		က	ø	9
			ø	
00		က	ø	9
0 o H o	z	£.	Ø	4 6
00		£.	ø	4 6
0 0 0	z	0 -1 3	O I	4 6
0 0 0	z	£.	O I	4 6
0 o H o	Z W	0 -1 3	O I	4 6
0 0 H d 8	П П	-1 0 -1 3	0 1 0	-3 1 4 6
0 0 0	Z W	0 -1 3	0 1 0	4 6
0 0 H d 8	2 H H	4 -1 0 -1 3	0 1 0	-3 1 4 6
0 0 H d 8	2 H H	-1 0 -1 3	0 T 0	-3 1 4 6
O O O 8 8 6	2 H H	4 -1 0 -1 3	0 T 0	4 -3 1 4 6
S P T H O	A T E N	2 4 -1 0 -# 3	E L O P H	9 4 -3 1 4 6
O O O 8 8 6	A T E N	4 -1 0 -1 3	0 T 0	9 4 -3 1 4 6
M 1 S P T H O	A T T E N	5 2 4 -1 0 -1 3	T E L O P H Q	4 9 4 -3 1 4 6
O O O 8 8 6	A T T E N	5 2 4 -1 0 -1 3	T E L O P H Q	4 9 4 -3 1 4 6
M 1 S P T H O	L I A T E N	6 5 2 4 -1 0 -1 3	E L O P H	4 9 4 -3 1 4 6
O M I S P T H O 4 -2 9 8 8 0 0 0	Z H L Y	2 6 5 2 4 -1 0 -1 3	0 T E L O P H Q	3 4 9 4 -3 1 4 6
M 1 S P T H O	Z H L Y	6 5 2 4 -1 0 -1 3	T 0 T E L 0 P H Q	5 3 4 9 4 -3 1 4 6
A O M I S P T H O 6 4 -2 9 8 8 0 0 0	Z Н Н	-2 6 5 2 4 -1 0 -1 3	T 0 T E L 0 P H Q	5 3 4 9 4 -3 1 4 6
O M I S P T H O 4 -2 9 8 8 0 0 0	Z Н Н	2 6 5 2 4 -1 0 -1 3	T 0 T E L 0 P H Q	5 3 4 9 4 -3 1 4 6
A O M I S P T H O 6 4 -2 9 8 8 0 0 0	Z Н Н	-2 6 5 2 4 -1 0 -1 3	T 0 T E L 0 P H Q	3 4 9 4 -3 1 4 6
M A O M I S P T H O 1 6 4 -2 9 8 8 0 0 0	N	6 -2 6 5 2 4 -1 0 -1 3	A T O T E L O P H	-9 5 3 4 9 4 -3 1 4 6
A O M I S P T H O 6 4 -2 9 8 8 0 0 0	Z Н Н	6 -2 6 5 2 4 -1 0 -1 3	A T O T E L O P H	5 3 4 9 4 -3 1 4 6
M A O M I S P T H O 1 6 4 -2 9 8 8 0 0 0	B E ≺ L − − − − − − − − − − − − − − − − − −	6 -2 6 5 2 4 -1 0 -1 3	H A T O T E L O P H Q	-9 5 3 4 9 4 -3 1 4 6

Z  $\supset$  $\alpha$ G Z 0 ш エ Z  $\alpha$ Ш ш Ω 0 ഗ  $\alpha$ Ш G G 0



Section 13

### **DIVIDING INTEGERS**

#### What Lies Ahead

In this section the student will learn these skills.

- · dividing integers using objects
- dividing integers without using objects

#### Gathering Materials

For this section the student will need these items.









- Computer Drill and Instruction: Mathematics, Level D (SRA)
- Integers/Integer Fast Facts (EduSoft)

#### (optional)

#### **Guiding the Student**

- · Emphasize the goal of this section.
- · You may wish to use the video MATH MOVES: Integers to demonstrate the modelling.
- · Help the students decide what to do in this section.
- Help the students check their answers to the activities in this section and correct any errors.

### **Introductory Activities**

Use counters to model the following and find the result.



1. 
$$(+6) \div (+3) =$$

(-8) + (-2) =

N Watch the signs. Use counters to model the following and find a pattern.



Ö

+

a. 
$$(+4) \div (+2) =$$

b. 
$$(+6) \div (-3) =$$
 c.  $(-2) \div (+2) =$ 

d. 
$$(-8) \div (-4) =$$

e. 
$$(+9) \div (-3) =$$

f. 
$$(-3) \div (-1) =$$

- ω like signs? What do you notice about the quotient of two numbers with
- 4. unlike signs? What do you notice about the quotient of two numbers with

#### Suggested Answers

4 negative The quotient of two numbers with unlike signs is always

#### 121

#### **Practice Activities**

Module 2

#### Computer Alternative



the package Computer Drill and Instruction: Do Lesson 16 on the disk Pre-Algebra from Mathematics, Level D (SRA)

Read the instructions included with the disk before using the program. If you need help, remember to hold down the SHIFT key and press the ? key.

#### Print Alternative



Provide the correct sign to make each number sentence true. Why did you choose the sign that you used? ci

a. 
$$(+56) \div (+7) = 8$$

b. 
$$(-121) \div (-11) = 11$$

 $(+1272) \div (-24) =$ 

ပ

d. 
$$(-7259) \div (+119) = 61$$

#### Suggested Answers

Computer corrected

- +8. The integers have like signs. ત્તું κi
- 53. The integers have unlike signs. + 11. The integers have like signs. ပ

Ď.

 – 61. The integers have unlike signs. ö

ω Fill in the missing number in each of the following.

a. 
$$\Rightarrow (-3) = -9$$

b. 
$$(+36) + (-4) =$$

d. 
$$(-48) \div | = -8$$

e. 
$$(+24) \div (-6) = ||$$

4. Find the quotient for each of the following.

a. 
$$(+70) \div (-10) =$$

c. 
$$(-48) \div (-6) =$$

Q

 $(+18) \div (+3) =$ 

five minutes. How many metres did the diver descend in one A diver descends from the surface to a depth of – 100 m in

4.

$$(-100) \div (+5) = (-20)$$

Ġ

The driver descended – 20 m in one minute.

#### **Extra Practice**

Module 2

#### Computer Alternative



Use the program Integers from the disk Integers/Integer Fast Facts (EduSoft).

Read the User's Guide. Choose the multiplication operation.


#### Print Alternative

Use number lines to help you complete Questions 2 and 3.



temperature is falling 2°C each hour, how long The present temperature is 0°C. If the will it take to reach - 6°C? κi

The number sentence describing the event is



### Suggested Answers

Computer corrected

present time future time Ó à က ဖ present — temperature temperature future ۸i

It will take three hours for the temperature to reach – 6°C.

ω

3. The present temperature is 0°C. If the temperature is falling 2°C each hour, how long ago was it +8°C?

The number sentence describing the event is this.

present --- + 8 --- --- + 4 --- --- past position + 6 --- + 3 --- time + 4 --- + 2 --- + 1 --- past position past --- 0 --- present time

It was 8°C four hours ago.

#### **Further Practice**

Module 2

Find the quotient. If you wish, use the cutout of Droopy and the number lines to help you.

$$(+8) \div (+4) =$$

2. 
$$(+8) \div (-4) =$$

5. 
$$(+15) \div (-5) =$$

6. 
$$(-9) \div (-3) =$$

#### Suggested Answers

ტ +


6

### Concluding Activities

Use your calculator to complete Questions 1 and 2.



A submarine descends 30 m every minute. How long will it take to descend from sea level to - 1 800 m?



2. Complete the following puzzle.

#### **Suggested Answers**

$$(-1800) \div (-30) = +60$$

1. It will take 60 minutes to descend to - 1800 m.


What Did ZORNA S When She Married 3-foot Pygmy?
---

you will discover the answer Do each of the exercises to answer in one of the boxes at the bottom of the page. largest. Keep working and exercise in that box. The answers are arranged in order from smallest to the right and find your Write the letter of the to the title question.

(+ 75(		(- 150									
⋖	Ш	Œ	ш	<b>—</b>	z	I	Œ	⊢	>	<b>—</b>	>
$(-12) \div (+4)$	$(+60) \div (+15)$	$(+45) \div (-9)$	$(-48) \div (-4)$	$(-49) \div (-7)$	$(-3) \div (-3)$	$(-60) \div (+5)$	$(-200) \div (+4)$	$(6 +) \div (06 -)$	(7-) + 0	$(+77) \div (-7)$	(-215 + (+1)
V	ш	<b>—</b>	V	Œ	4	ш	0	4	I	Ω	Ц

Z	>	•	<b>—</b>	_	=	Ω	Z	Z	S	-	L	I	-	1	
(+36) (-2)	(- 20)	(-2)	(+ 100) (- 4)				(+ 45)	(-3)	(+ 600) (+ 4)	(68 +)	(+3)	(-54) (-6)	(+311)	(+1)	
Ш	0	)	⋖	_	ב	Ш	C	)	⋖	>	>	0	-	L	
(+750) + (+10)	$(-42) \div (-7)$	$(-150) \div (+2)$	$(-100) \div (-2)$	$(+67) \div (-1)$	$(-80) \div (-40)$	$(+150) \div (-5)$	$(-30) \div (+5)$	$(+1700) \div (-10)$	$(+100) \div (+20)$	$(+13) \div (-13)$	(+120) + (+4)	$(-100) \div (+25)$	$(-42) \div (+3)$	$(+80) \div (+5)$	
∢ 1	ш	Œ	ш	<b>—</b>	z	I	ш	$\vdash$	>	<b>—</b>	>	Σ	>	_	
- 12) ÷ (+ 4)	+ 60) ÷ (+ 15)	+ 45) ÷ (- 6)	-48) ÷ (-4)	-49) + (-7)	-3) + (-3)	-60) + (+5)	-200) ÷ (+4)	(6+) + (06-	(-7)	+77) + (-7)	-215 + (+1)	+96) + (+12)	-75 ÷ $(-5)$	+56) + (-8)	

- 10 A		
10	7 8	
- 12 E	9	311 L
1 >	> >	215 L
1 15	4 П	150 A
- 16 L	<sub>e</sub> z	91 T
л Н П	N Z	75 A
-21	<u>+</u> ∢	67 D
- 25 A	o I	50 E
H 30	<del>-</del>	30
- 50	2 Z	25
- 67 T	ღ <b>⋖</b>	16 L
- 75 - R	4 ∑	<del>2</del> п
- 91 E	1-5	13 >
- 150 T	9 8	12 A
- 170 -	-7	01 H
-311 -215 B E	8 I	0
-311 B	6 - 8	8



Module 2

Section 14

# **ORDER OF OPERATIONS**

#### What Lies Ahead

In this section the student will learn these skills.

- · identifying the correct order of operations for integers
- using order of operations correctly when calculating with integers

#### Gathering Materials

For this section the student will need these items.

Whole Numbers Mathematics 8 and Integers Module 2 





#### **Guiding the Student**

- · Emphasize to the student the goal of this section.
- Help the students decide what to do in this section.

· Help the students check their answers to the activities in this section and correct any errors.

#### **Practice Activities**

1. Simplify each of the following.

a. 
$$(-2) \times (+3) - (-2)$$

b. 
$$(+7) - (+8) \times (-3)$$

c. 
$$(-4) - (+4) \div (-2)$$

d. 
$$(+9) \div (-3) + (+5) \times (-2) - (+1)$$

2. Simplify each of the following

a. 
$$(-4) \times (-3) \div [(+2) + (+2)]$$

b. 
$$[(+6) - (-4)] \times (-12) \div (-6)$$

c. 
$$(-3) \times (+5) - [(-42) \div (+7) - (-3)]$$

$$d. \quad [(+\,13)\,+\,(-\,11)]\,-\,(+\,1)\,\times\,(-\,4)\,+\,[(+\,19)\,\times\,(+\,23)]$$

e. 
$$(+99) - [(+4) + (-10) \div (+5) \times (-8)]$$

#### Suggested Answers

. a. 
$$(-6) - (-2) = -4$$

b. 
$$(+7) - (-24) = +31$$

c. 
$$(-4) - (-2) = -2$$

d. 
$$(-3) + (-10) - (+1) = -14$$

a. 
$$(-4) \times (-3) \div (+4) = (+12) \div (+4) = +3$$

in

b. 
$$(+10) \times (-12) \div (-6) = +20$$

c. 
$$(-3) \times (+5) - (-3)$$
  
=  $(-15) - (-3)$   
=  $-12$ 

d. 
$$(+2) - (+1) \times (-4) + (+437)$$
  
=  $(+2) - (-4) + (+437)$   
=  $+443$ 

e. 
$$(+99) - [(+4) + (-2) \times (-8)]$$
  
=  $(+99) - [(+4) + (-2) \times (-8)]$   
=  $(+99) - (+20)$   
=  $+79$ 

က

Module 2

200 games. In 85 games he was three under par or - 3. In 60 games he was one under par or - 1. In 30 games he was two over par or + 2, and in 25 games he was three over par or +3. Calculate how much over or under par he was for the Sanchez likes golf. Over one season he played 200 games played in one season. က



$$[(+85) \times (-3)] + [(+60) \times (-1)] + [(+30) \times (+2)] + [(+25) \times (+3)]$$

$$= (-255) + (-60) + (+60) + (+75)$$

$$= -180$$

Sanchez was 180 under par for the season.

#### Extra Practice

1. Simplify each of the following.

a. 
$$(+3) - (-4) + (-2)$$

b. 
$$(-2) \times (-6) \times (-3)$$

c. 
$$(+4) + (-2) \times (-5)$$

d. 
$$(+14) \div (-2) + (+6) \times (-3)$$

2. Simplify each of the following.

a. 
$$[(-4) + (-2)] - [(-6) \times (+3)]$$

b. 
$$(+3) - [(-2) - (-4)]$$

c. 
$$(+2) \times [(+1) + (-5)] \div (-4)$$

d. 
$$[(-18) \div (-9) \times (+4)] - [(+14) - (+4)] \div (-2)$$

#### **Suggested Answers**

$$(+4) + (+10) = +14$$

d. 
$$(-7) + (-18) = -25$$

a. 
$$(-6) - (-18) = +12$$

io

b. 
$$(+3) - (+2) = (+1)$$

5. 
$$(+2) \times (-4) \div (-4) = +2$$

d. 
$$(+8) - (+10) + (-2)$$
  
=  $(+8) - (-5)$   
=  $+13$ 

133

Module 2

Sasha had several types of stocks. At the end of the year she table below shows the number of shares in each stock and had to calculate her total profit or loss on the stocks. The the profit or loss per share. က်

Profit (+) or Loss (-) on Each Share	+ 1 + 1 0 & ± 4
Number of Shares	50 75 100 125
Name	Happy Helicopters Duggit Mines Black Earth Petroleum New Wave Hair Salons

Calculate Sasha's total profit or loss for the year.

Sasha had a loss of 525 for the year.

Student Support Guide

### **Concluding Activities**



. Evaluate the following on paper first. Then use your calculator to see if you can get the same result. Remember to clear the calculator display before computing. Press C to clear the display.

a. 
$$49 + 200 \div 25$$

b. 
$$12 - 18 \div 9 + 4$$

c. 
$$(+41) + (-512) + (-16)$$

d. 
$$(-28) + (+4) \div (-2) - (-32)$$

### Suggested Answers



κi

Module 2

Evaluate the following on paper first. Then use your calculator to see if you get the same result. Remember to clear the memory after MC each question by pressing

ત્યું

b. 
$$17 \times 11 + 5 \times 18$$

c. 
$$(-2) + (+8) \times (-3)$$

d. 
$$(-5) - (+7) \times (-2)$$

- 26

ပ

136

Section 14



- 3. Evaluate the following on paper first. Then use your calculator to see if you can get the same result. Remember to clear the memory after each question by pressing [MC].
- 1.  $5 + 3 \times (9 2)$

ġ.

 $(3 + 5 - 2) \div 6$ 

- c.  $[(-150) + (+6)] \div 12$
- d. (+13) + [(-2) + (-10)]

- 3. a. +26
- b. +1
- c. -12
- d. +1

Module 2

#### SUMMARY

#### What Lies Ahead

In this section the student will review these skills.

- · adding, subtracting, multiplying, and dividing integers
  - · performing a series of operations

#### Gathering Materials

For this section the student will need these items.











**Guiding the Student** 


- · Emphasize to the students the goal of this section is to review Part Two.
- · Help the students check their new answers to the pretest in Section 8.



# MODULE CONCLUSION

#### What Lies Ahead

The student is now ready to do the assignment in the Assignment Booklet. The student will be graded on the work done in this booklet.



#### **Guiding the Student**

- Have the student complete the module assignment independently. The student may use resource material, but cannot get help. The student should attempt all parts of the assignment.
- Afterwards, you should both complete the declaration. You should submit the Assignment Booklet for a grade and feedback.



